


1st generation wheel bearings

第一代轮毂轴承




Bearing No.	d	D	B	C	Weight Kg(pc)	Seal	Remark	Application
DAC20420030/29	20	42	30	29	0.19	D		Mercedes-Benz
DAC25520037	25	52	37	37	0.37	D		Renault,Peugeot,Citroen
DAC25520043	25	52	43	43	0.4	D		Renault,Peugeot,Citroen
DAC25550043	25	55	43	43	0.45	D		Renault
DAC25520042	25	52	42	42	0.36	D		Suzuki
DAC25680043	25	68	43	43		A		
DAC28520031	28	52	31	31		D		
DAC28520031/29	28	52	31	29		D		
DAC25560032	25	56	32	32		A		Citroen
DAC27600050	27	60	50	50		B		Nissan
DAC28560039/29	28	56	39	29	0.32	E		
DAC28580042	28	58	42	42	0.44	A/D		昌河SK410
DAC28580044	28	58	44	44	0.46	A		Suzuki
DAC28610042	28	61	42	42	0.5	E		Toyota
DAC28620047/35	28	62	47	35		A		
DAC29530237	29	53.02	37	37	0.35	D		Ford
DAC30500020	30	50	20	20	0.08	D		
DAC30540024	30	54	24	24	0.1	D		
DAC30550030/25	30	55	30	25	0.2	E		
DAC30550032	30	55	32	32	0.28	A	▲*2	
DAC30580042	30	58	42	42	0.42	A		Mazda
DAC30600037	30	60	37	37	0.42	C/D	▲	Fiat,Lada,Lancia,Seat,Volvo
DAC30600037/34	30	60	37	34	0.38	E		
DAC30620032	30	62	32	32	0.4	D		
DAC30630042	30	63	42	42	0.49	D		Nissan sunny B13,Toyota
DAC30640042	30	64	42	42	0.49	D		Suzuki
DAC30650044/35	30	65	44	35		E		
DAC30620030	30	62	30	30		D		

▲表示该产品外圈一端带导向槽 (Guide groove feature)

1st generation wheel bearings

第一代轮毂轴承




Bearing No.	d	D	B	C	Weight Kg(pc)	Seal	Remark	Application
DAC30620038	30	62	38	38	0.481			Toyota
DAC32720045	32	72	45	45	0.6	E		Toyota
DAC34620037	34	62	37	37	0.41	D	▲	Audi,Volkswagen,Chrysler
DAC34640037	34	64	27	27	0.43	A/C/D	▲	Lada,Opel,Volkswagen,Bedford
DAC34660037	34	66	37	37	0.5	C		Opel,Vauxhall,Accord(Honda)
DAC34670037	34	67	37	37	0.43	C		Opel
DAC35618040	35	61.8	40	40	0.44	C		昌河北斗星前轮
DAC35640037	35	64	37	37	0.41	C	▲	夏利TJ7300,Daihatsu
DAC35650035	35	65	35	35	0.4	A/B/D/F		Renault
DAC35660032	35	66	32	32	0.41	D		Citroen
DAC35660033	35	66	33	33	0.43	D		Fiat
DAC3566037	35	66	37	37	0.48	A/C/D		Volkswagen
DAC35680037	35	68	37	37	0.52	A/B/C		Fiat,Lancia,Seat,Volvo,Zastava
DAC35680233/30	35	68.2	33	30	0.47	E		Nissan
DAC35720027	35	72	37	37	0.46	E		Citroen,Eugest,Renault,Simca
DAC35720028	35	72	28	28	0.48	E		Citroen,Eugest,Renault,Simca
DAC35720033	35	72	33	33	0.58	A/B		Citroen,Peugeot
DAC35720034	35	72	34	34	0.58	A/B		五菱Lzw7100
DAC35720233/31	35	72.02	33	31	0.55	E		Toyota
DAC35770442	35	77.04	42	42		E		Toyota
DAC35670042	35	67	42	42		A		Renault,Peugeot
DAC36640037	36	64	37	37		A		
DAC36640042	36	64	42	42	0.55	A		Mazda626
DAC36680033	36	68	33	33	0.47	D/E		Suzuki
DAC36720434	36	72.04	34	34	0.57	E		Chrysler
DAC37680034	37	68	34	34	0.49	A&B		Mitsubishi
DAC3770033	37	70	33	33	0.54	B		Peugeot206
DAC37720037	37	72	37	37	0.59	A/B/C		Fiat,Ford,Lancia,Renault,Chrysler

▲表示该产品外圈一端带导向槽 (Guide groove feature)

1st generation wheel bearings

第一代轮毂轴承




Bearing No.	d	D	B	C	Weight Kg(pc)	Seal	Remark	Application
DAC37720047	37	72	47	47		D		
DAC37740045	37	74	45	45	0.79	D		BMW, Opel, Ford
DAC38640336/33	38	64.03	36	33	0.47	E		Toyota
DAC38650352/48	38	65.03	52	48		E		SAAB, Subaru
DAC38700037	38.1	70	37	37	0.54	A/B		Kia
DAC38700038	38	70	38	38	0.55	A/B		夏利7100, Charde
DAC38710033/30	38	71	33	30	0.52	E		Toyota
DAC38710039	38	71	39	39	0.56	D		Toyota
DAC38720040	38	72	40	40	0.57	D		Honda
DAC38720236/33	37.99	72.02	36	33	0.54	D/E		Honda, Roverr
DAC38720434	38	72.04	34	34	0.55	E		Honda
DAC38730040	38	73	40	40	0.62	D		Honda
DAC38740036	38	74	36	36	0.64	B		Nissan
DAC38740036/33	38	74	36	33	0.58	D/E	▲	Toyota, Nissan
DAC38740050	38	74	50	50	0.78	D		Nissan
DAC38790045	38	79	45	45		A/B		Nissan
DAC38740236/33	37.99	74.02	36	33	0.58	E		Toyota
DAC39/41750037	39/41	75	37	37	0.62	B/D		Audi, PassantB5
DAC39680037	39	68	37	37	0.48	A/C/D	▲	Volkswagen, Ford, Audi, Santana
DAC39680637	39	68.06	37	37	0.48	A/C/D	▲	Volkswagen, Ford, Audi
DAC39680737	39	68.07	37	37	0.48	A/C/D	▲	Volkswagen, Ford, Audi, Chrysrice
DAC39720037	39	72	37	37	0.56	A/B/C		BMW, Opel, Ford, Bedford, Vauxhall
DAC39720637	39	72.06	37	37	0.56	A/B/C		BMW, Opel, Ford, Bedford, Vauxhall
DAC39740034	39	74	34	34	0.57	A		Honda
DAC39740036/34	39.09	74	36	34	0.52	A		Hyundai
DAC39740039	39	74	39	39	0.66	D		Opel, Vauxhall
DAC40680042	40	68	42	42	0.48	C	▲	
DAC40700043	40	79	43	43	0.66	B		Mitsubishi

▲表示该产品外圈一端带导向槽 (Guide groove feature)

1st generation wheel bearings

第一代轮毂轴承




Bearing No.	d	D	B	C	Weight Kg(pc)	Seal	Remark	Application
DAC40720036	40	72	36	36	0.54	A&B		
DAC40720036/33	40	72	36	33	0.52	E		Suzuki
DAC40720037	40	72	37	37	0.55	A/B/C	▲	Volkswagen,Seat
DAC40720041.5/37	40	72	41.5	37	0.58	C	▲	
DAC40720833.1	40	72.08	33.1	33.1	0.52	A	▲*2	
DAC40740036	40	74	36	36	0.6	A/B		Nissan
DAC40740036/34	40	74	36	34	0.58	E		Malaysia
DAC40740040	40	74	40	40	0.66	A/D	▲	Mazda
DAC40740042	40	74	42	42	0.66	A		Toyota
DAC40750037	40	75	37	37	0.62	D		Ford
DAC40750039	40	75	39	39	0.64	B	with ABS	Toyota
DAC40760033	40	76	33	33	0.57	D		Chrysler
DAC40760033/28	40	76	33	28	0.54	D		Chrysler,Volkswagen,Rover
DAC40760040/38	40	76	40	38	0.68	D		
DAC40760041/38	40	76	41	38	0.7	D		Honda,Rover
DAC408000302	40	80	30.2	30.2	0.63	E		Peugeot,Simca,Talbot
DAC40800031	40	80	31	31	0.65	D		Peugeot
DAC40800034	40	80	34	34	0.72	D		
DAC40800036/34	40	80	36	34	0.74	D		GM,Mitsubishi,Hyundai
DAC40800040	40	80	40	40	0.86	B		Mitsubishi
DAC40840338	40	84.03	38	38	0.92	A	▲	Renault
DAC401080017/32	40	108	32	17	1.06	F		Renault
DAC401100017/38	40	110	38	17	1.02	D		Psa
DAC41680040/35	41	68	40	35	0.5	E		Suzuki
DAC42720038	42	72	38	38	0.56	A/D		Mazda,Ford
DAC42720038/35	42	72	38	35	0.55	E		Nissan
DAC42750037	42	75	37	37	0.59	B/D		Alfa-Romeo,Audi,Prosche,Saab,BMW
DAC42760033	42	76	33	33	0.56	D		Chrysler

▲表示该产品外圈一端带导向槽 (Guide groove feature)

1st generation wheel bearings

第一代轮毂轴承




Bearing No.	d	D	B	C	Weight	Seal	Remark	Application
					Kg(pc)			
DAC42760038/35	42	76	38	35	0.62	D/E	Nisaan	
DAC42760039	42	76	39	39	0.62	D	Chrysler	
DAC42760040/37	42	76	40	37	0.64	D	Chrysler	
DAC42770039	42	77	39	39	0.7	B		
DAC42780040	42	78	40	40	0.74	B		
DAC42780541/38	42	78.05	41	38	0.74	D	Honda	
DAC42800036/34	42	80	36	34	0.7	D	Hyundai	
DAC42800037	42	80	37	37	0.72	D	Alfa-Romeo	
DAC42800039	42	80	39	39	0.75	B	Renault	
DAC42800042	42	80	42	42	0.81	D	BMW,Chrysler	
DAC42800045	42	80	45	45	0.86	D	Mazda	
DAC42820036	42	82	36	36	0.77	A/B/D	Citroen,Peugeot,GM,富康	
DAC42820037	42	82	37	37	0.79	B/C/D	Audi	
DAC42820040	42	82	40	40	0.82	B		
DAC42840034	42	84	34	34	0.68	E		
DAC42840036	42	84	36	36	0.85	E	Peugeot505,Simca,Taibot	
DAC42840039	42	84	39	39	0.93	A/D	Renault,Peugeot	
DAC42780045	42	78	45	45		B	Ford	
DAC43/45820037	43/45	82	37	37	0.76	A/B/C/D	Audi	
DAC43/45850037	43/45	85	37	37	0.9	C	Audi	
DAC43760043	43	76	43	43	0.71	A	Nissan	
DAC43770042/38	43	77	42	38	0.66	E	Toyota	
DAC43790041/38	43	79	41	38	0.9	D	Honda	
DAC43790045	43	79	45	45	0.87	B	Nissan	
DAC43800038	43	80	38	38	0.73	D	Ford,Seat,Volkswagen	
DAC43800050/45	43	80	50	45	0.88	E	Toyota	
DAC43820045	43	82	45	45	0.85	A	Toyota	
DAC44825037	44	82.5	37	37	0.77	B	Citroen,Peugeot,Fiat	

▲表示该产品外圈一端带导向槽 (Guide groove feature)

1st generation wheel bearings

第一代轮毂轴承



Bearing No.	d	D	B	C	Weight	Seal	Remark	Application
					Kg(pc)			
DAC44840042/40	44	84	42	40	0.8	D		Honda
DAC45800045	45	80	45	45	0.79	C/D	▲	VW
DAC45840039	45	84	39	39	0.85	A/D		Citroen, Prugeot, Volvo, Mercedes-Benz
DAC45840041/39	45	84	41	39	0.88	A		Huandyi
DAC45840042/40	45	84	42	40	0.9	A		Honda Accord
DAC45840045	45	84	45	45	0.96	B		Toyota
DAC45850023	45	85	23	23	0.56	E		
DAC458500302	45	85	30.2	30.2	0.67	D		Ford
DAC45850041	45	85	41	41		A		BMW
DAC45860045	45	86	45	45	0.99	B		Toyota
DAC45880045	45	88	45	45	1.1	B		BYD
DAC45880239	45	88.02	39	39	1	B		
DAC45870041/39	45	87	41	39		B		Hyundai, Kia
DAC47850045	47	85	45	45	1.02	A		Ford Explorer
DAC48860042/40	48	86	42	40	0.9	D		Honda
DAC48890044/42	48	89	44	42	0.886	B		Honda
DAC49840043	49	84	43	43	0.97	D		Mercedes-Benz
DAC49840048	49	84	48	48	1	D		Ford
DAC49880046	49	88	46	46	1.05	A		Mercedes-Benz
DAC49900545	49	90.05	45	45	1.1	B		BMW
DAC50.4820034/30	50.4	82	34	30	0.58	A		
DAC50900040	50	90	40	40	0.95	D		
760204DBB	20	47	28	28	0.228			For Machine Tools
760205DBB	25	52	30	30	0.282			For Machine Tools
F760204DBB	20	46	38	36	0.46			For Machine Tools
F760205DBB	25	52	38	36	0.56			For Machine Tools

▲表示该产品外圈一端带导向槽 (Guide groove feature)