



Single row tapered roller bearings



单列圆锥轴承



Bearing No.	Principal Dimensions(mm)							Basic Load Ratings (KN)		Weight Kg(pc)
	d	D	T	B	C	r1min	r2min	Cr	Cor	
LM11749/10	17.462	39.878	13.843	14.605	10.688	1.3	1.3	21.5	23	0.0833
LM11949/10	19.05	45.237	15.494	16.637	12.065	1.3	1.3	27.5	29.5	0.12
M12649/10	21.43	50.005	17.526	18.288	13.97	1.3	1.3	37.5	40	0.172
LM12749/10	21.987	45.237	15.494	16.637	12.065	1.3	1.3	28	32	0.116
L44643/10	25.4	50.292	14.224	14.732	10.668	1.3	1.3	27	32	0.126
M84548/10	25.4	57.15	19.431	19.431	14.732	1.5	1.5	43.1	49.9	0.242
6-7805Y	26	57.15	17.462	17.462	14	1	3.6	38.75	46.9	0.211
L44649/10	26.988	50.292	14.224	14.732	10.668	1.3	3.5	27	32	0.119
KJ15585/20	28	57.15	17.462	17.462	13.495	1.3	3.6	40.6	46.9	0.212
TR285216g	28	52	16	18.5	12	1.5	3.5	32.6	39.8	0.144
TF28KW04g/01g	28	50.292	14.224	18.65	10.668	2	4.35	27.1	36.1	0.127
L45449/10	29	50.292	14.224	14.732	10.668	1.3	3.6	26.8	34	0.113
329013A/Q	29	50.292	14.224	17.5	10.668	1.3	2.3	26.8	34	0.12
LM67048/10	31.75	59.131	15.875	16.764	11.811	1.3	SPCL	35.6	42.2	0.183
NP39044/NP750997	31.75	61.986	7.938	19.05	14.732	1.5	3.5	43.2	49.1	0.26
M88048/10	33.338	68.262	22.225	22.225	17.462	1.5	0.8	56.3	71.3	0.382
LM48548/10	34.925	65.088	18.034	18.288	13.97	1.3	SPCL	46	57.5	0.257
M88649/10	34.925	72.233	25.4	25.4	19.842	2.5	2.5	61	80	0.482
JL68149/10	34.988	59.131	15.875	16.764	11.938	1.3	SPCL	36	48.6	0.172
LM78349A/10	34.988	61.973	16.7	14.4	13.6	1.5	4.75	41.1	53	0.21
JL68145/11	35	60	15.875	18.412	11.938	1.3	2.5	36	48.6	0.187
NP353549/NP673396	35	72	23.9	23.5	19	1.5	2	62.6	78.8	0.467
M88648/10	35.717	72.233	25.4	25.4	19.842	2.5	2.5	61	80	0.482
JL69349/10	38	63	17	17	13.5	1.3	SPCL	36	50	0.197
JL69345/10	38	63	17	19	13.5	1.3	SPCL	35.5	51.3	0.202
LM29749/10	38.1	65.088	19.812	18.288	15.748	1.3	2.3	40	58.1	0.251
LM29748/10	38.1	65.088	18.034	18.288	13.97	1.3	SPCL	40	58.1	0.234
19150/NP353933	38.1	68.262	7.539	16.52	11.908	1.5	1.5	45.8	55	0.248
U399/U360L	39.992	72.8	19.25	22.098	18.5	1.3	2.3	54.9	65	0.351
LM300849/10	40.988	67.975	17.5	18	13.5	1.5	SPCL	43.84	62.44	0.24
LM501349/10	41.275	73.431	19.558	19.812	14.732	0.8	3.5	54.5	68.5	0.345
ST4276C	42	73	23.8	27.5	19.8	0.8	2.3	73.3	96.8	0.474

Single row tapered roller bearings



单列圆锥轴承



Bearing No.	Principal Dimensions (mm)							Basic Load Ratings (KN)		Weight Kg(pc)
	d	D	T	B	C	r1min	r2min	Cr	Cor	
25580/20	44.45	82.931	23.812	25.4	19.05	0.8	3.6	76.5	99	0.554
18685/20	44.45	79.375	17.462	17.462	13.495	1.5	2.8	46.3	57.6	0.342
U497/U460L	44.987	79.975	24	26	18	1.3	2.3	71.8	86.4	0.472
518713	44.988	112.712	34.512	33.75	25.3	2.8	3	137.7	149	1.629
5012-09	45	100.107	7	25	44.5	0.8	2	108.9	129.8	1.3
LM102949/10	45.242	73.431	19.558	19.812	15.748	1	4	51.4	79	0.308
18690/20	46.038	79.375	17.462	17.462	13.495	1.5	2.8	44.2	57.6	0.33
517012	50	77	19.9	19.5	15	1.5	3	52.4	77.2	0.312
33889/22	50.8	95.25	27.783	28.575	22.225	0.8	3.5	109	142.5	0.844
28680/28622	55.562	97.63	24.608	24.608	19.446	0.8	3.5	88.24	137	0.766
CR-1252	60	95	27	26	21	2	2	81.4	118.7	
LL319349/10SP	63.5	138.43	15.875	15.083	11.908	1.5	1.5	57.7	92.3	1.168
F15048	75	180	63.5	60	45	3.5	3.5	405.2	531.3	7.804
F15071	75	160	58	55	40	3.5	3.5	320.8	440.8	5.372
34300/34478	76.2	121.442	24.608	23.012	17.462	2	2	91.9	129.2	0.958
27687/20	82.55	125.412	25.4	25.4	19.845	1.6	3.6	101.1	162.4	1.041
47686/20A	82.55	133.35	33.338	33.338	26.195	0.8	3.5	153	235	1.686
37425/37625	107.95	158.75	23.02	21.438	15.875	3.3	3.6	105.4	172.7	1.379
37431A/37625	109.538	158.75	23.02	21.438	15.875	3.3	5	105.4	172.7	1.313
JP12049/10	120	170	27	25	19.5	3	3	178	283	1.742
30203	17	40	13.25	12	11	1	1	20.7	21.9	0.079
30204	20	47	15.25	14	12	1	1	28.2	30.6	0.126
30304	20	52	16.25	15	13	1.5	1.5	33.1	33.2	0.165
32004	20	42	15	15	12	0.6	0.6	25.1	28.2	0.0947
32204	20	47	19.25	18	15	1	1	33.2	35	0.157
30205	25	52	16.25	15	13	1	1	32.2	37	0.154
30305	25	62	18.25	17	15	1.5	1.5	46.9	48.1	0.263
30305X2B	25	62	18.25	17	14	1.5	1.5	40.4	48	0.2606
32005	25	47	15	15	11.5	0.6	0.6	28	34.1	0.11
32205	25	52	19.25	18	16	1	1	41.3	49.2	0.199
33005	25	47	17	17	14	0.6	0.6	32.5	42.5	0.129
33205	25	52	22	22	18	1	1	47.1	55.8	0.216

Single row tapered roller bearings


单列圆锥轴承



Bearing No.	Principal Dimensions (mm)							Basic Load Ratings (KN)		Weight Kg(pc)
	d	D	T	B	C	r1min	r2min	Cr	Cor	
30206	30	62	17.25	16	14	1	1	43.3	50.5	0.231
30306	30	72	20.75	19	16	1.5	1.5	59	63.1	0.387
30306X2B	30	72	24.35	23	18	1.5	1.5	58.2	76.5	0.477
32006	30	55	17	17	13	1	1	35.7	46.8	0.17
32206	30	62	21.25	20	17	1	1	51.8	63.7	0.287
32306C	30	72	28.75	23	27	1.5	1.5	71.2	90.7	0.55
30207	35	72	18.25	17	15	1.5	1.5	54.2	63.5	0.331
30307	35	80	22.75	21	18	1.5	2	75.3	82.6	0.515
32007	35	62	18	18	14	1	1	43.2	59.2	0.224
30208	40	80	19.75	18	16	1.5	1.5	63	74	0.422
30308	40	90	25.25	23	20	1.5	2	90.9	107.6	0.747
32008	40	68	19	19	14.5	1	1	51.9	71.1	0.267
31308F	40	90	25.25	23	17	1.5	2	85.4	99.7	0.744
ST4276	42	76	23.8	27.5	19.8	0.8	2.3	79.6	105.9	0.48
30309	45	100	27.25\	25	22	1.5	2	108.9	129.8	0.984
32009	45	75	20	20	15.5	1	1	58.4	81.4	0.337
32010	50	80	20	20	15.5	1	1	61.1	89	0.366
32210	50	90	24.75	23	19	1.5	1.5	82.8	107.6	0.626
32311	55	120	45.5	43	35	2	2.5	203	271.4	2.37
32312	60	130	48.5	46	37	2.5	3	226.7	303	2.9
32313	65	140	51	48	39	2.5	3	259.6	349.8	3.51
32913	65	90	17	17	14	1	1	56.9	89	0.301
30215	75	130	27.25	25	22	1.5	2	138.4	185.4	1.36
30615	75	135	44.5	45	36.5	1.5	2	222.9	346.8	2.7
32215	75	130	33.25	31	27	1.5	2	170.3	242.1	1.74
32315	75	160	58	55	45	2.5	3	347.4	483.1	5.37
32216	80	140	35.25	33	28	2	2.5	198.1	279	2.13
33216X2	80	140	45	45	36.5	2.5	2.5	226.6	348.5	2.775
33117F(P6X)	85	140	41	41	32	2	2.5	225.2	354.2	2.545
32218	90	160	42.5	40	34	2	2.5	269.8	395.5	3.44

Double row tapered roller bearings


双列圆锥轴承



Bearing No.	d	D	B	C	Weight Kg(pc)	Cross Reference	Manufacturer
DU20470040/35	20	47	40	35		DTR2047	
DU25520037	25	52	37	37	0.3612	FC12025 S09	PEUGEOT
DU25520037	25	52	37	37	0.378	FC40570	RENAULT
DU25520037侧唇	25	52	37	37	0.392	FC12156	RENAULT
DU25520043	25	52	43	43	0.4062	FC12180 S04	RENAULT,PEUGEOT,CITROEN
DU25490045/40	25	49	45	40		DTR2549	
DU25550043	25	55	43	43	0.495	FC12271 S03	RENAULT
DU25550045	25	55	45	45	0.505	FC40858 S02	RENAULT
DU25550048	25	55	48	48	0.5416	FC41288 S04	RENAULT SCENIC II
DU25550053.5	25	55	53.5	53.5	0.5962	FC40887	MERCEDS-BENZ
DU25600045	25	60	45	45	0.6464	FC41245	PEUGEOT 307
DU25620048	25	62	48	48	0.7472	FC40725	RENAULT
DU26520037	26	52	37	37			
DU26520041	26	52	41	41			
DU27520045/43	27	52	45	43		CR10569LL	NISSAN
DU27530043	27	53	43	43	0.407	FC40650 S01	OPEL-CORSA/TIGRA
DU27600050	27	60	50	50		DE0565LZCS34PX105	NISSAN
DU29530037	29	53	37	37	0.3472	BTH1206D	FORD
DU29570047	29	57	47	47	0.515	BTH1231A	
DU30550056	30	55	56	56	0.55	TU0601-1LL/L260	DAIHATSU
DU30580042	30	58	42	42		CR1-0678LLCS70/L260	MAZDA
DU30600037	30	60	37	37		418780	FIAT,SEAT,VOLVO
DU30610038	30	61	38	38			
DU30620048	30	62	48	48	0.6644	FC40696 S10	RENAULT
DU30620051	30	62	51	51	0.7	FC41394	CITROEN/PEUGEOT 308
DU32580065/57	32	58	65	57		4T-CRI-0685CS110	
DU32580040/37	32	80	40	37			
DU35680042	35	68	42	42			
DU35650035	35	65	35	35	0.5042	BT2B445620B	KIA/RANAULT
DU35650035侧唇	35	65	35	35		FC12033	

Double row tapered roller bearings


双列圆锥轴承



Bearing No.	d	D	B	C	Weight Kg(pc)	Cross Reference	Manufacturer
DU35680048	35	68	48	48	0.7776	FC40772 S02	RENAULT
DU35720070/60	35	72	70	60		DTR3572	
DU38760043/40	38	76	43	40		TU0808-1/L260	NISSAN
DU38650052/48	38	65	52	48	0.6562	46T080705C	SUBARU RUEDAS
DU38680037	38	68	37	37		517005	ISUZU STYUS
DU39680037	39	68	37	37	0.5404	JRM3939/JRM3968XD	VW,CHERY
DU39720037	39	72	37	37	0.656	JRM3939X2/JRM3972XD	VW,BMW,FORD
DU40720037	40	72	37	37	0.983	JRM3940/4072XD	VW,CHERY
DU40730055	40	73	55	55	0.91	BTH-1024	IVECO
DU40750050	40	75	50	50	0.9298	40KWD02	MITSUBISHI SPORTERO
DU40760040	40	76	40	40		DT407640	
DU40800045/44	40	80	45	44		46T080805CS70	MITSUBISHI PAJERO REAR
DU40800038	40	80	38	38			NISSAN TERRANO II
DU41680040/35	41	68	40	35	0.5246	41KWD01G3CA54	SUZUKI VITARA
DU42720038	42	72	38	38	0.5914	4T-CRI-0822	MAZDA,FORD
DU42720038/35	42	72	38	35	0.578	46T080704X	NISSAN
DU42720052/48	42	72	52	48		4T-CRI-08A02	SUBARU
DU42740038	42	74	38	38			
DU42750060	42	75	60	60	1.09	FC40784 S01	FIAT DUCATO 02-
DU42760039	42	76	39	39		4T-CRI0821	CHRYSLER/KIA/HYUNDAI
DU42820040	42	82	40	40		42KWD10	TOYOTA
DU437700455/435	43	70	45.5	43.5		517013	
DU42800038	42	80	38	38		42KWD08	NISSAN
DU43760043/40	43	76	43	40	0.794	43KWD02	SUBARU FORESTER
DU437700455/415	43	77	45.5	41.5	0.854	43KWD07	TOYOTA HILUX 08
DU45770050/45	45	77	50	50		46T090805LFT	TOYOTA ESTIMA/EMINA
DU45850051	45	85	51	51	1.2346	JRM4549CS	FORD TRUCK
DU45780040/37	45	78	40	37		517007	SUBARU SVX
DU45840053	45	84	53	53		NP275832	
DU45.3800048	45.3	80	48	48		FC40096	RENAULT MASTER

Double row tapered roller bearings

双列圆锥轴承



Bearing No.	d	D	B	C	Weight Kg(pc)	Cross Reference	Manufacturer
DU47850045	47	85	45	45	1.0974	559431A	FORD
DU47880055	47	88	55	55	1.445	47KWD02AU42CA120	FORD RANGER/MAZ B2
DU47880055(ABS)	47	88	55	55			UC3C 33047 B
DU47880057.5	47	88	57.5	57.5	1.4942	DU4788-2LFT	TOYOTA
DU49840043	49	84	43	43	0.9612	JXC25469C	BENZ/HONDA LEGEND
DU49880046	49	88	46	46		OP400051	
DU49840048	49	84	48	48	1.062	BTHB329129-DD	FORD
DU54900050(ABS)	54	90	50	50			MERCEDES-BENZ
DU54980050(ABS)	54	98	50	50			
DU50890051	50	89	51	51		JRM5049AA	ROVER
DU50840054	50	84	54	54		UCF508454	
DU54960051	54	96	51	51	1.4558	DU5496-6LFT	TOYOTA
DU55900052/41	55	90	52	41			
DU55900060	55	90	60	60	1.5	BTH1011AB	CITROEN,PEUGEOT/IVECO
DU55900054(ABS)	55	90	54	54		BTH1215C	PEUGEOT,CITROEN,FIAT
DU60108075 2Z	60	108	75	75	2.86	DU60108-8CS32	MERCEDED/VOLVO,TRUCK
803194	78	130	90	90	4.11	F80314	MERCEDED BENZ TRUCK
BTH-0055	82	139.5	115	115	6.5	BTH-0055	MERCEDED/MAN TRUCK
BTH-0018	68/68.2	132/127	115	115	6.1	BTH-0018	SCANIA/VOLVO TRUCK